

Dependency Graph

|-- noise-c @ 0.1.11

Compiling .pioenvs/esphome-32c3-mini4/src/main.cpp.o

Linking .pioenvs/esphome-32c3-mini4/firmware.elf

/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: .pioenvs/esphome-32c3-mini4/src/esphome/components/philips_sonicare/bridge.cpp.o: in function `void esphome::api::UserServiceDynamic<std::\_\_cxx11::basic\_string<char, std::char\_traits<char>, std::allocator<char>>, std::\_\_cxx11::basic\_string<char, std::char\_traits<char>, std::allocator<char>>>`

>::execute_<esphome::FixedVector<esphome::api::ExecuteServiceArgument>, 0u, 1u>

(esphome::FixedVector<esphome::api::ExecuteServiceArgument> const&, unsigned long, bool, std::integer_sequence<unsigned int, 0u, 1u>):

/IDF_PROJECT/src/esphome/components/api/user_services.h:153:

(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE]+0x2a): undefined reference to `std::\_\_cxx11::basic\_string<char, std::char\_traits<char>, std::allocator<char>>`

esphome::api::get_execute_arg_value<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>>(esphome::api::ExecuteServiceArgument const&)'

/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: /IDF_PROJECT/src/esphome/components/api/user_services.h:153:

(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE]+0x3a): undefined reference to `std::\_\_cxx11::basic\_string<char, std::char\_traits<char>, std::allocator<char>>`

esphome::api::get_execute_arg_value<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>>(esphome::api::ExecuteServiceArgument const&)'

/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: .pioenvs/esphome-32c3-mini4/src/esphome/components/philips_sonicare/bridge.cpp.o: in function `void esphome::api::UserServiceDynamic<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>, std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>, std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>, std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>`

>::execute_<esphome::FixedVector<esphome::api::ExecuteServiceArgument>, 0u, 1u, 2u>

(esphome::FixedVector<esphome::api::ExecuteServiceArgument> const&, unsigned long, bool, std::integer_sequence<unsigned int, 0u, 1u, 2u>):

/IDF_PROJECT/src/esphome/components/api/user_services.h:153:

(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE]+0x2a): undefined reference to `std::\_\_cxx11::basic\_string<char, std::char\_traits<char>, std::allocator<char>>`

esphome::api::get_execute_arg_value<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>>(esphome::api::ExecuteServiceArgument const&)'

/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: /IDF_PROJECT/src/esphome/components/api/user_services.h:153:

(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE]+0x3a): undefined reference to `std::\_\_cxx11::basic\_string<char, std::char\_traits<char>, std::allocator<char>>`

esphome::api::get_execute_arg_value<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>>(esphome::api::ExecuteServiceArgument const&)'

/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: /IDF_PROJECT/src/esphome/components/api/user_services.h:153:

(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7_EE15execute_serviceERKNS0_21ExecuteServiceRequestE]+0x4a): undefined reference to `std::\_\_cxx11::basic\_string<char, std::char\_traits<char>, std::allocator<char>>`

esphome::api::get_execute_arg_value<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>>(esphome::api::ExecuteServiceArgument const&)'

```

/data/cache/platformio/packages/toolchain-riscv32-esp/bin/./lib/gcc/riscv32-esp-elf/14.2.0/././././riscv32-esp-elf/bin/ld: .pioenvs/esphome-32c3-mini4/src/esphome/components/philips_sonicare/bridge.cpp.o:/IDF_PROJECT/src/esphome/components/api/user_services.h:153: more undefined references to `std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > esphome::api::get_execute_arg_value<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > >(esphome::api::ExecuteServiceArgument const&)' follow
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/./lib/gcc/riscv32-esp-elf/14.2.0/././././riscv32-esp-elf/bin/ld: .pioenvs/esphome-32c3-mini4/src/esphome/components/philips_sonicare/bridge.cpp.o: in function `void esphome::api::UserServiceDynamic<bool, std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > >::execute<esphome::FixedVector<esphome::api::ExecuteServiceArgument>, 0u, 1u>(esphome::FixedVector<esphome::api::ExecuteServiceArgument> const&, unsigned long, bool, std::integer_sequence<unsigned int, 0u, 1u>)' :
/IDF_PROJECT/src/esphome/components/api/user_services.h:153:
(.text._ZN7esphome3api18UserServiceDynamicIJbNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEE15execute_serviceERKNS0_21ExecuteServiceRequestE[_ZN7esphome3api18UserServiceDynamicIJbNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEE15execute_serviceERKNS0_21ExecuteServiceRequestE]+0x28):
undefined reference to `bool esphome::api::get_execute_arg_value<bool>(esphome::api::ExecuteServiceArgument const&)'
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/./lib/gcc/riscv32-esp-elf/14.2.0/././././riscv32-esp-elf/bin/ld: /IDF_PROJECT/src/esphome/components/api/user_services.h:153:
(.text._ZN7esphome3api18UserServiceDynamicIJbNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEE15execute_serviceERKNS0_21ExecuteServiceRequestE[_ZN7esphome3api18UserServiceDynamicIJbNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEE15execute_serviceERKNS0_21ExecuteServiceRequestE]+0x3a):
undefined reference to `std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > esphome::api::get_execute_arg_value<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > >(esphome::api::ExecuteServiceArgument const&)'
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/./lib/gcc/riscv32-esp-elf/14.2.0/././././riscv32-esp-elf/bin/ld: .pioenvs/esphome-32c3-mini4/src/esphome/components/philips_sonicare/bridge.cpp.o: in function `esphome::api::UserServiceDynamic<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> >, std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> >, std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > >::encode_list_service_response()' :
/IDF_PROJECT/src/esphome/components/api/user_services.h:114:
(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7EE28encode_list_service_responseEv[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7EE28encode_list_service_responseEv]+0x3c): undefined reference to `esphome::api::enums::ServiceArgType esphome::api::to_service_arg_type<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > >()'
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/./lib/gcc/riscv32-esp-elf/14.2.0/././././riscv32-esp-elf/bin/ld: /IDF_PROJECT/src/esphome/components/api/user_services.h:114:
(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7EE28encode_list_service_responseEv[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7EE28encode_list_service_responseEv]+0x46): undefined reference to `esphome::api::enums::ServiceArgType esphome::api::to_service_arg_type<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > >()'
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/./lib/gcc/riscv32-esp-elf/14.2.0/././././riscv32-esp-elf/bin/ld: /IDF_PROJECT/src/esphome/components/api/user_services.h:114:
(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7EE28encode_list_service_responseEv[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_S7EE28encode_list_service_responseEv]+0x50): undefined reference to `esphome::api::enums::ServiceArgType esphome::api::to_service_arg_type<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > >()'
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/./lib/gcc/riscv32-esp-elf/14.2.0/././././riscv32-esp-elf/bin/ld: .pioenvs/esphome-32c3-mini4/src/esphome/components/philips_sonicare/bridge.cpp.o: in function `esphome::api::UserServiceDynamic<bool, std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char> > >::encode_list_service_response()' :
/IDF_PROJECT/src/esphome/components/api/user_services.h:114:
(.text._ZN7esphome3api18UserServiceDynamicIJbNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEE28e

```

```

ncode_list_service_responseEv[_ZN7esphome3api18UserServiceDynamicIJbNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEEEE28encode_list_service_responseEv]+0x38): undefined reference to
`esphome::api::enums::ServiceArgType esphome::api::to_service_arg_type<bool>()'
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: /IDF_PROJECT/src/esphome/components/api/user_services.h:114:
(.text._ZN7esphome3api18UserServiceDynamicIJbNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEEEE28encode_list_service_responseEv[_ZN7esphome3api18UserServiceDynamicIJbNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEEEE28encode_list_service_responseEv]+0x42): undefined reference to
`esphome::api::enums::ServiceArgType esphome::api::to_service_arg_type<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>()>
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: .pioenvs/esphome-32c3-mini4/src/esphome/components/philips_sonicare/bridge.cpp.o: in function
`esphome::api::UserServiceDynamic<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>::encode_list_service_response()':
/IDF_PROJECT/src/esphome/components/api/user_services.h:114:
(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEEEE28encode_list_service_responseEv[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEEEEE28encode_list_service_responseEv]+0x30): undefined reference to
`esphome::api::enums::ServiceArgType esphome::api::to_service_arg_type<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>()>
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: .pioenvs/esphome-32c3-mini4/src/esphome/components/philips_sonicare/bridge.cpp.o: in function
`esphome::api::UserServiceDynamic<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>, std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>::encode_list_service_response()':
/IDF_PROJECT/src/esphome/components/api/user_services.h:114:
(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_EE28encode_list_service_responseEv[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_EE28encode_list_service_responseEv]+0x38): undefined reference to
`esphome::api::enums::ServiceArgType esphome::api::to_service_arg_type<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>()>
/data/cache/platformio/packages/toolchain-riscv32-esp/bin/../lib/gcc/riscv32-esp-elf/14.2.0/../../../../riscv32-esp-elf/bin/ld: /IDF_PROJECT/src/esphome/components/api/user_services.h:114:
(.text._ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_EE28encode_list_service_responseEv[_ZN7esphome3api18UserServiceDynamicIJNSt7__cxx1112basic_stringIcSt11char_traitsIcESaIcEEES7_EE28encode_list_service_responseEv]+0x42): undefined reference to
`esphome::api::enums::ServiceArgType esphome::api::to_service_arg_type<std::__cxx11::basic_string<char, std::char_traits<char>, std::allocator<char>>>()>
collect2: error: ld returned 1 exit status
*** [.pioenvs/esphome-32c3-mini4/firmware.elf] Error 1
===== [FAILED] Took 69.43 seconds =====

```